AUTHOR INDEX VOLUME 128

A

Abe, E. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.

Adler, R. *See* Wang and Adler.

Ahn, A. H., and Kunkel, L. M. Syntrophin binds to an alternatively spliced exon of dystrophin. 363.

Aigner, L., and Caroni, P. Absence of persistent spreading, branching, and adhesion in GAP-43–depleted growth cones. 647.

Aizawa, H. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.

Albers, K. M., Davis, F. E., Perrone, T. N., Lee, E. Y., Liu, Y., and Vore, M. Expression of an epidermal keratin protein in liver of transgenic mice causes structural and functional abnormalities. 157.

Albrecht, R. *See* Fässler, Pfaff, Murphy, Noegel, Johansson, Timpl, and Albrecht.

Algrain, M. *See* Martin, Andréoli, Sahuquet, Montcourrier, Algrain, and Mangeat.

Alitalo, K. *See* Västrik, Kaipainen, Penttilä, Lymboussakis, Alitalo, Parvinen, and Alitalo.

Alitalo, R. *See* Västrik, Kaipainen, Penttilä, Lymboussakis, Alitalo, Parvinen, and Alitalo.

Allan, V. Protein phosphatase 1 regulates the cytoplasmic dynein-driven formation of endoplasmic reticulum networks in vitro. 879.

Allet, B. *See* Martinou, Fernandez, Missotten, White, Allet, Sadoul, and Martinou.

Allinquant, B., Hantraye, P., Mailleux, P., Moya, K., Bouillot, C., and Prochiantz, A. Downregulation of amyloid precursor protein inhibits neurite outgrowth in vitro. 919.

Alon, R., Kassner, P. D., Carr, M. W., Finger, E. B., Hemler, M. E., and Springer, T. A. The integrin VLA-4 supports tethering and rolling in flow on VCAM-1. 1243.

Andermarcher, E. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.

Andersen, S. S. L., Buendia, B., Domínguez, J. E., Sawyer, A., and Karsenti, E. Effect on microtubule dynamics of XMAP230, a microtubule-associated protein present in *Xenopus laevis* eggs and dividing cells: Correction. 991.

Andréoli, C. *See* Martin, Andréoli, Sahuquet, Montcourrier, Algrain, and Mangeat.

Arenas, E. *See* Timmusk, Lendahl, Funakoshi, Arenas, Persson, and Metsis.

Arnal, I. *See* Hyman, Chrétien, Arnal, and Wade.

Arribas, J., and Massagué, J. Transforming growth factor-α and β-amyloid precursor protein share a secretory mechanism. 433.

Aruffo, A. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.

Arvan, P. *See* Kim and Arvan.

Ayme-Southgate, A., Southgate, R., Saide, J., Benian, G. M., and Pardue, M. L. Both synchronous and asynchronous muscle isoforms of projectin (the Drosophila bent locus product) contain functional kinase domains. 393.

B

Bainton, D. F. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.

Baird, A. *See* Hanneken, Maher, and Baird.

Barrell, B. G. *See* Drees, Brown, Barrell, and Bretscher.

Barth, B.-U., Wahlberg, J. M., and Garoff, H. The oligomerization reaction of the Semliki Forest virus membrane protein subunits. 283.

Basolo, F. *See* Merlo, Basolo, Fiore, Duboc, and Hynes.

Beauvais, A., Erickson, C. A., Goins, T., Craig, S. E., Humphries, M. J., Thiery, J. P., and Dufour, S. Changes in the fibronectin-specific integrin expression pattern modify the migratory behavior of sarcoma S180 cells in vitro and in the embryonic environment. 699.

Bell, J. I. *See* Jackson, Bell, Dickinson, Timans, Shields, and Whittle.

Bencsath, F. A. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.

Bender, J. R. *See* Pfau, Leitenberg, Rinder, Smith, Pardi, and Bender.

Benfenati, F. *See* Ceccaldi, Grohovaz, Benfenati, Chieregatti, Greengard, and Valtorta.

Benian, G. M. *See* Ayme-Southgate, Southgate, Saide, Benian, and Pardue.

Bennett, K. L., Jackson, D. G., Simon, J. C., Tanczos, E., Peach, R., Modrell, B., Stamenkovic, I., Plowman, G., and Aruffo, A. CD44 isoforms containing exon V3 are responsible for the presentation of heparin-binding growth factor. 687.

Bennett, V. *See* Hu, Moorthy, and Bennett.

Berta, P. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.

Bird, I. N. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.

Blasi, J. *See* Walch-Solimena, Blasi, Edelmann, Chapman, von Mollard, and Jahn.

Blobel, G. *See* Erdmann and Blobel.

Bloom, G. S. *See* Lippincott-Schwartz, Cole, Marotta, Conrad, and Bloom.

— *See* Sontag, Nunbhakdi-Craig, Bloom, and Mumby.

Bouillot, C. *See* Allinquant, Hantraye, Mailleux, Moya, Bouillot, and Prochiantz.

Bowser, R. *See* Govindan, Bowser, and Novick.

Branton, D. *See* Deng, Lee, Goldstein, and Branton.

Bretscher, A. *See* Drees, Brown, Barrell, and Bretscher.

Brown, C. *See* Drees, Brown, Barrell, and Bretscher.

Brown, J. L. *See* Lu, Montijn, Brown, Klis, Kurjan, Bussey, and Lipke.

Bruehl, R. E. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.

Buckley, C. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.

Buendia, B. *See* Andersen, Buendia, Domínguez, Sawyer, and Karsenti.

Bulinski, J. C. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.

Burgess, R. *See* Staudinger, Zhou, Burgess, Elledge, and Olson.

Buss, F., and Stewart, M. Macromolecular interactions in the nucleoporin p62 complex of rat nuclear pores: Binding of nucleoporin p54 to the rod domain of p62. 251.

Bussey, H. *See* Lu, Montijn, Brown, Klis, Kurjan, Bussey, and Lipke.

Byard, E. H. *See* Robinson, Sherwin, Ploubidou, Byard, and Gull.

Byeon, M. K., Sugi, Y., Markwald, R. R., and Hoffman, S. NCAM polypeptides in heart development: Association with Z Discs of forms that contain the muscle-specific domain. 209.

C

Calas, B. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.

Campenot, R. B. *See* Posse de Chaves, Vance, Campenot, and Vance.

Capell, A. *See* Haass, Koo, Capell, Teplow, and Selkoe.

Caroni, P. *See* Aigner and Caroni.

Carr, M. W. *See* Alon, Kassner, Carr, Finger, Hemler, and Springer.

Casoria-Scott, L. A. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.

Catsicas, S. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Ceccaldi, P.-E., Grohovaz, F., Benfenati, F., Chieregatti, E., Greengard, P., and Valtorta, F. Dephosphorylated synapsin I anchors synaptic vesicles to actin cytoskeleton: An analysis by videomicroscopy. 905.
Chait, B. T. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.
Chang, A., and Fink, G. R. Targeting of the yeast plasma membrane [H^+]ATPase: A novel gene *AST1* prevents mislocation of mutant ATPase to the vacuole. 39.
Chapman, E. R. *See* Walch-Solimena, Blasi, Edelmann, Chapman, von Mollard, and Jahn.
Cheah, K. S. E., Levy, A., Trainor, P. A., Wai, A. W. K., Kuffner, T., So, C. L., Leung, K. K. H., Lovell-Badge, R. H., and Tam, P. P. L. Human COL2A1-directed SV40 T antigen expression in transgenic and chimeric mice results in abnormal skeletal development. 223.
Chevron, M.-P. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.
Chieregatti, E. *See* Ceccaldi, Grohovaz, Benfenati, Chieregatti, Greengard, and Valtorta.
Chrétien, D. *See* Hyman, Chrétien, Arnal, and Wade.
Chuang, J.-Z., Lin, D. C., and Lin, S. Molecular cloning, expression, and mapping of the high affinity actin-capping domain of chicken cardiac tensin. 1095.
Clarke, L. *See* Marschall and Clarke.
Clegg, D. O. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Clementi, E. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Cole, N. B. *See* Lippincott-Schwartz, Cole, Marotta, Conrad, and Bloom.
Collins, P. G. *See* Silberstein, Collins, Kelleher, Rapiejko, and Gilmore.
Condeelis, J. *See* Cox, Ridsdale, Condeelis, and Hartwig.
Conrad, P. A. *See* Lippincott-Schwartz, Cole, Marotta, Conrad, and Bloom.
Conti, A. *See* Giannini, Conti, Mammarella, Scrobogna, and Sorrentino.
Cooper, J. A. *See* Schafer, Hug, and Cooper.
Courtney, I. *See* Spang, Courtney, Grein, Matzner, and Schiebel.
Cox, D., Ridsdale, J. A., Condeelis, J., and Hartwig, J. Genetic deletion of ABP-120 alters the three-dimensional organization of actin filaments in *Dictyostelium* pseudopods. 819.
Craig, R. W. *See* Yang, Kozopas, and Craig.
Craig, S. E. *See* Beauvais, Erickson, Goins, Craig, Humphries, Thiery, and Dufour.
Cregg, J. M. *See* Tan, Waterham, Veenhuis, and Cregg.
Cummings, R. D. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.

D

Davis, F. E. *See* Albers, Davis, Perrone, Lee, Liu, and Vore.
de Crombrugghe, B. *See* Lefebvre, Garofalo, and de Crombrugghe.
Deng, H., Lee, J. K., Goldstein, L. S. B., and Branton, D. *Drosophila* development requires spectrin network formation. 71.
Denzer, A. J. *See* Gesemann, Denzer, and Ruegg.
Desai, A., and Mitchison, T. J. A new role for motor proteins as couplers to depolymerizing microtubules. 1.
Dickinson, R. *See* Jackson, Bell, Dickinson, Timans, Shields, and Whittle.
Domínguez, J. E. *See* Andersen, Buendia, Domínguez, Sawyer, and Karsenti.
Donaldson, J. G. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Drees, B., Brown, C., Barrell, B. G., and Bretscher, A. Tropomyosin is essential in yeast, yet the *TPM1* and *TPM2* products perform distinct functions. 383.
Drubin, D. G. *See* Li, Zheng, and Drubin.
Duboc, L. *See* Merlo, Basolo, Fiore, Duboc, and Hynes.
Dufour, S. *See* Beauvais, Erickson, Goins, Craig, Humphries, Thiery, and Dufour.

E

Ecke, M. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Eckley, M. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Edelmann, L. *See* Walch-Solimena, Blasi, Edelmann, Chapman, von Mollard, and Jahn.
Elledge, S. J. *See* Staudinger, Zhou, Burgess, Elledge, and Olson.
Elson, E. L. *See* Pasternak, Wong, and Elson.
Emr, S. D. *See* Vida and Emr.
Erdmann, R., and Blobel, G. Giant peroxisomes in oleic acid–induced *Saccharomyces cerevisiae* lacking the peroxisomal membrane protein Pmp27p. 509.
Erickson, C. A. *See* Beauvais, Erickson, Goins, Craig, Humphries, Thiery, and Dufour.
Eshel, D. *See* Saunders, Koshland, Eshel, Gibbons, and Hoyt.

F

Fagotto, F. *See* Funayama, Fagotto, McCrea, and Gumbiner.
Fässler, R., Pfaff, M., Murphy, J., Noegel, A. A., Johansson, S., Timpl, R., and Albrecht, R. Lack of $\beta 1$ integrin gene in embryonic stem cells affects morphology, adhesion, and migration but not integration into the inner cell mass of blastocysts. 979.
Fawcett, J., Buckley, C., Holness, C. L., Bird, I. N., Spragg, J. H., Saunders, J., Harris, A., and Simmons, D. L. Mapping the homotypic binding sites in CD31 and the role of CD31 adhesion in the formation of interendothelial cell contacts. 1229.
Fernandez, P.-A. *See* Martinou, Fernandez, Missotten, White, Allet, Sadoul, and Martinou.
Fiedler, K., Lafont, F., Parton, R. G., and Simons, K. Annexin XIIIb: A novel epithelial specific annexin is implicated in vesicular traffic to the apical plasma membrane. 1043.
Finazzi, D. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Fine, L. G. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Finger, E. B. *See* Alon, Kassner, Carr, Finger, Hemler, and Springer.
Fink, G. R. *See* Chang and Fink.
Fiore, L. *See* Merlo, Basolo, Fiore, Duboc, and Hynes.
Firtel, R. A. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Fischer, R., and Timberlake, W. E. *Aspergillus nidulans apsA* (anucleate primary sterigmata) encodes a coiled-coil protein required for nuclear positioning and completion of asexual development. 485.
Forbes, D.J. *See* Powers, Macaulay, Masiarz, and Forbes.
Fugang, L. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.
Fujisawa-Sehara, A. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Funakoshi, H. *See* Timmusk, Lendahl, Funakoshi, Arenas, Persson, and Metsis.
Funayama, N., Fagotto, F., McCrea, P., and Gumbiner, B. M. Embryonic axis induction by the Armadillo repeat domain of β-catenin: Evidence for intracellular signaling. 959.

G

Gandarillas, A. *See* Hotchin, Gandarillas, and Watt.
Garcia, C. *See* Way, Sanders, Garcia, Sakai, and Matsudaira.
Garcia-Blanco, M. A., Miller, D. D., and Sheetz, M. P. Nuclear spreads: I. Visualization of bipartite ribosomal RNA domains. 15.
Garofalo, S. *See* Lefebvre, Garofalo, and de Crombrugghe.
Garoff, H. *See* Barth, Wahlberg, and Garoff.
Gaskins, C. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Gelfand, V. I. *See* Lombillo, Nislow, Yen, Gelfand, and McIntosh.

Gerace, L. *See* Greber and Gerace.
Gesemann, M., Denzer, A. J., and Ruegg, M. A. Acetylcholine receptor-aggregating activity of agrin isoforms and mapping of the active site. 625.
Gherardi, E. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Ghosh, R. N., and Maxfield, F. R. Evidence for nonvectorial, retrograde transferrin trafficking in the early endosomes of HEp2 cells. 549.
Giannini, G., Conti, A., Mammarella, S., Scrobogna, M., and Sorrentino, V. The ryanodine receptor/calcium channel genes are widely and differentially expressed in murine brain and peripheral tissues. 893.
Gibbons, I. R. *See* Saunders, Koshland, Eshel, Gibbons, and Hoyt.
Gilmore, R. *See* Silberstein, Collins, Kelleher, Rapiejko, and Gilmore.
Girard, F. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.
Goins, T. *See* Beauvais, Erickson, Goins, Craig, Humphries, Thiery, and Dufour.
Goishi, K. *See* Higashiyama, Iwamoto, Goishi, Raab, Taniguchi, Klagsbrun, and Mekada.
Goldstein, L. S. B. *See* Deng, Lee, Goldstein, and Branton.
Goodman, S. R. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.
Govindan, B., Bowser, R., and Novick, P. The role of Myo2, a yeast class V myosin, in vesicular transport. 1055.
Gozé, C. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.
Greber, U. F., and Gerace, L. Depletion of calcium from the lumen of endoplasmic reticulum reversibly inhibits passive diffusion and signal-mediated transport into the nucleus. 5.
Greengard, P. *See* Ceccaldi, Grohovaz, Benfenati, Chieregatti, Greengard, and Valtorta.
Grein, K. *See* Spang, Courtney, Grein, Matzner, and Schiebel.
Grohovaz, F. *See* Ceccaldi, Grohovaz, Benfenati, Chieregatti, Greengard, and Valtorta.
Gruver, C. *See* McGoldrick, Gruver, and May.
Gull, K. *See* Robinson, Sherwin, Ploubidou, Byard, and Gull.
Gumbiner, B. M. *See* Funayama, Fagotto, McCrea, and Gumbiner.
Gussio, R. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.

H

Haass, C., Koo, E. H., Capell, A., Teplow, D. B., and Selkoe, D. J. Polarized sorting of β-amyloid precursor protein and its proteolytic products in MDCK cells is regulated by two independent signals. 537.
Hadac, E. *See* Roettger, Rentsch, Pinon, Holicky, Hadac, Larkin, and Miller.
Halban, P. A. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Hanada, K., and Pagano, R. E. A Chinese hamster ovary cell mutant defective in the non-endocytic uptake of fluorescent analogs of phosphatidylserine: Isolation using a cytosol acidification protocol. 793.
Hanneken, A., Maher, P. A., and Baird, A. High affinity immunoreactive FGF receptors in the extracellular matrix of vascular endothelial cells: Implications for the modulation of FGF-2. 1221.
Hantraye, P. *See* Allinquant, Hantraye, Mailleux, Moya, Bouillot, and Prochiantz.
Hardman, P. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Harris, A. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.
Hartwig, J. *See* Cox, Ridsdale, Condeelis, and Hartwig.
Hayakawa, M. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Hemler, M. E. *See* Alon, Kassner, Carr, Finger, Hemler, and Springer.
Herman, I. M. *See* Shuster and Herman.
Heuerman, C. A. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.
Higashiyama, S., Iwamoto, R., Goishi, K., Raab, G., Taniguchi, N., Klagsbrun, M., and Mekada, E. The membrane protein CD9/DRAP 27 potentiates the juxtacrine growth factor activity of the membrane-anchored heparin-binding EGF-like growth factor. 929.
Hisanaga, S. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Ho, T. *See* Tanaka, Ho, and Kirschner.
Hoffman, S. *See* Byeon, Sugi, Markwald, and Hoffman.
Holicky, E. *See* Roettger, Rentsch, Pinon, Holicky, Hadac, Larkin, and Miller.
Holness, C. L. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.
Höning, S., and Hunziker, W. Cytoplasmic determinants involved in direct lysosomal sorting, endocytosis, and basolateral targeting of rat lgp120 (lamp-I) in MDCK cells. 321.
Hori, T. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Hotani, H. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Hotchin, N. A., Gandarillas, A., and Watt, F. M. Regulation of cell surface β_1 integrin levels during keratinocyte terminal differentiation. 1209.
Housman, D. *See* Taneja, McCurrach, Schalling, Housman, and Singer.
Hoyt, M. A. *See* Saunders, Koshland, Eshel, Gibbons, and Hoyt.
Hsu, V. W. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Hu, R.-J., Moorthy, S., and Bennett, V. Expression of functional domains of Beta$_G$-Spectrin disrupts epithelial morphology in cultured cells. 1069.
Hug, C. *See* Schafer, Hug, and Cooper.
Humphries, M. J. *See* Beauvais, Erickson, Goins, Craig, Humphries, Thiery, and Dufour.
Hunziker, W. *See* Höning and Hunziker.
Hyman, A. A., Chrétien, D., Arnal, I., and Wade, R. H. Structural changes accompanying GTP hydrolysis in microtubules: Information from a slowly hydrolyzable analogue guanylyl-(α,β)-methylene-diphosphonate. 117.
Hynes, N. E. *See* Merlo, Basolo, Fiore, Duboc, and Hynes.

I

Ikeda, T. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Ito, F. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Itoh, T. J. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Iwamoto, R. *See* Higashiyama, Iwamoto, Goishi, Raab, Taniguchi, Klagsbrun, and Mekada.

J

Jackson, D. G., Bell, J. I., Dickinson, R., Timans, J., Shields, J., and Whittle, N. Proteoglycan forms of the lymphocyte homing receptor CD44 are alternatively spliced variants containing the v3 exon. 673.
— *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Jahn, R. *See* Walch-Solimena, Blasi, Edelmann, Chapman, von Mollard, and Jahn.
Jat, P. S. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Johansson, S. *See* Fässler, Pfaff, Murphy, Noegel, Johansson, Timpl, and Albrecht.
Johnson, D. A. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.
Johnson, K. R. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.

K

Kaipainen, A. *See* Västrik, Kaipainen, Penttilä, Lymboussakis, Alitalo, Parvinen, and Alitalo.
Kaiser, C. A. *See* Shaywitz, Orci, Ravazzola, Swaroop, and Kaiser.
Karin, M. *See* Rosette and Karin.
Karsenti, E. *See* Andersen, Buendia, Domínguez, Sawyer, and Karsenti.
Kassner, P. D. *See* Alon, Kassner, Carr, Finger, Hemler, and Springer.
Katagiri, T., Yamaguchi, A., Komaki, M., Abe, E., Takahashi, N., Ikeda, T., Rosen, V., Wozney, J. M., Fujisawa-Sehara, A., and Suda, T. Bone morphogenetic protein-2 converts the differentiation pathway of C2C12 myoblasts into the osteoblast lineage: Correction. 715.
Kelleher, D. J. *See* Silberstein, Collins, Kelleher, Rapiejko, and Gilmore.
Kim, P. S., and Arvan, P. Calnexin and BiP act as sequential molecular chaperones during thyroglobulin folding in the endoplasmic reticulum. 29.
Kingsbury, J. *See* Strunnikov, Kingsbury, and Koshland.
Kirschner, M. W. *See* Tanaka and Kirschner.
— *See* Tanaka, Ho, and Kirschner.
Kishimoto, T. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Kitamura, N. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Klagsbrun, M. *See* Higashiyama, Iwamoto, Goishi, Raab, Taniguchi, Klagsbrun, and Mekada.
Klausner, R. D. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Klein, W. H. *See* Venuti, Morris, Vivian, Olson, and Klein.
Klis, F. *See* Lu, Montijn, Brown, Klis, Kurjan, Bussey, and Lipke.
Kolatsi-Joannou, M. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Komaki, M. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Koo, E. H. *See* Haass, Koo, Capell, Teplow, and Selkoe.
Koshland, D. *See* Strunnikov, Kingsbury, and Koshland.
— *See* Saunders, Koshland, Eshel, Gibbons, and Hoyt.
Kozopas, K. M. *See* Yang, Kozopas, and Craig.
Kuffner, T. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Kunkel, L. M. *See* Ahn and Kunkel.
Kurjan, J. *See* Lu, Montijn, Brown, Klis, Kurjan, Bussey, and Lipke.
Kuspa, A. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Kwiatkowska, K. *See* Muallem, Kwiatkowska, Xu, and Yin.

L

Lafont, F. *See* Fiedler, Lafont, Parton, and Simons.
Lamb, N. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.
Landfear, S. M. *See* Piper, Xu, Russell, Little, and Landfear.
Lang, J. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Larkin, J. M. *See* Roettger, Rentsch, Pinon, Holicky, Hadac, Larkin, and Miller.
Lauffer, L. *See* Miller, Tajima, Lauffer, and Walter.
Lee, E. Y. *See* Albers, Davis, Perrone, Lee, Liu, and Vore.
Lee, J. K. *See* Deng, Lee, Goldstein, and Branton.
Lefebvre, V., Garofalo, S., and de Crombrugghe, B. Type X collagen gene expression in mouse chondrocytes immortalized by a temperature-sensitive simian virus 40 large tumor antigen. 239.
Leitenberg, D. *See* Pfau, Leitenberg, Rinder, Smith, Pardi, and Bender.
Lendahl, U. *See* Timmusk, Lendahl, Funakoshi, Arenas, Persson, and Metsis.
Leung, K. K. H. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Levy, A. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Li, R., Zheng, Y., and Drubin, D. G. Regulation of cortical actin cytoskeleton assembly during polarized cell growth in budding yeast. 599.
Lichenstein, H. S. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.
Lin, D. C. *See* Chuang, Lin, and Lin.
Lin, S. *See* Chuang, Lin, and Lin.
Lipke, P. N. *See* Lu, Montijn, Brown, Klis, Kurjan, Bussey, and Lipke.
Lippincott-Schwartz, J., Cole, N. B., Marotta, A., Conrad, P. A., and Bloom, G. S. Kinesin is the motor for microtubule-mediated Golgi-to-ER membrane traffic. 293. Correction. 989.
Little, B. M. *See* Piper, Xu, Russell, Little, and Landfear.
Liu, Y. *See* Albers, Davis, Perrone, Lee, Liu, and Vore.
Lombillo, V. A., Nislow, C., Yen, T. J., Gelfand, V. I., and McIntosh, J. R. Antibodies to the kinesin motor domain and CENP-E inhibit microtubule depolymerization–dependent motion of chromosomes in vitro. 107.
Longo, F. M. *See* Zhang and Longo.
Loomis, W. F. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Lovell-Badge, R. H. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Lu, C.-F., Montijn, R. C., Brown, J. L., Klis, F., Kurjan, J., Bussey, H., and Lipke, P. N. Glycosyl phosphatidylinositol-dependent cross-linking of α-agglutinin and β1,6-glucan in the *Saccharomyces cerevisiae* cell wall. 333.
Lymboussakis, A. *See* Västrik, Kaipainen, Penttilä, Lymboussakis, Alitalo, Parvinen, and Alitalo.

M

Macaulay, C. *See* Powers, Macaulay, Masiarz, and Forbes.
Maeda, M. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Maher, P. A. *See* Hanneken, Maher, and Baird.
Mailleux, P. *See* Allinquant, Hantraye, Mailleux, Moya, Bouillot, and Prochiantz.
Mammarella, S. *See* Giannini, Conti, Mammarella, Scrobogna, and Sorrentino.
Mandelkow, E. *See* Song and Mandelkow.
Mangeat, P. *See* Martin, Andréoli, Sahuquet, Montcourrier, Algrain, and Mangeat.
Markwald, R. R. *See* Byeon, Sugi, Markwald, and Hoffman.
Marotta, A. *See* Lippincott-Schwartz, Cole, Marotta, Conrad, and Bloom.
Marschall, L. G., and Clarke, L. A novel *cis*-acting centromeric DNA element affects *S. pombe* centromeric chromatin structure at a distance. 445.
Martin, K. H. *See* Turner, Minkoff, Martin, Misra, and Swenson.
Martin, M., Andréoli, C., Sahuquet, A., Montcourrier, P., Algrain, M., and Mangeat, P. Ezrin NH_2-terminal domain inhibits the cell extension activity of the COOH-terminal domain. 1081.
Martinou, I., Fernandez, P.-A., Missotten, M., White, E., Allet, B., Sadoul, R., and Martinou, J.-C. Viral proteins E1B19K and p35 protect sympathetic neurons from cell death induced by NGF deprivation. 201.
Martinou, J.-C. *See* Martinou, Fernandez, Missotten, White, Allet, Sadoul, and Martinou.
Masiarz, F. R. *See* Powers, Macaulay, Masiarz, and Forbes.
Massagué, J. *See* Arribas and Massagué.
Matsudaira, P. *See* Way, Sanders, Garcia, Sakai, and Matsudaira.
Matsuyoshi, N. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Matzner, M. *See* Spang, Courtney, Grein, Matzner, and Schiebel.
Maxfield, F. R. *See* Ghosh and Maxfield.
May, G. S. *See* McGoldrick, Gruver, and May.
McCrea, P. *See* Funayama, Fagotto, McCrea, and Gumbiner.
McCurrach, M. *See* Taneja, Schalling, Housman, and Singer.
McEver, R. P. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.
McGoldrick, C. A., Gruver, C., and May, G. S. *myoA* of *Aspergillus nidulans* encodes an essential myosin I required for secretion and polarized growth. 577.
McIntosh, J. R. *See* Lombillo, Nislow, Yen, Gelfand, and McIntosh.
Mekada, E. *See* Higashiyama, Iwamoto, Goishi, Raab, Taniguchi, Klagsbrun, and Mekada.

Meldolesi, J. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Merlo, G. R., Basolo, F., Fiore, L., Duboc, L., and Hynes, N. E. p53-dependent and p53-independent activation of apoptosis in mammary epithelial cells reveals a survival function of EGF and insulin. 1185.
Metsis, M. *See* Timmusk, Lendahl, Funakoshi, Arenas, Persson, and Metsis.
Miller, D. D. *See* Garcia-Blanco, Miller, and Sheetz.
Miller, J. D., Tajima, S., Lauffer, L., and Walter, P. The β subunit of the signal recognition particle receptor is a transmembrane GTPase that anchors the α subunit, a peripheral membrane GTPase, to the endoplasmic reticulum membrane. 273.
Miller, L. J. *See* Roettger, Rentsch, Pinon, Holicky, Hadac, Larkin, and Miller.
Minkoff, C. G. *See* Turner, Minkoff, Martin, Misra, and Swenson.
Misra, R. *See* Turner, Minkoff, Martin, Misra, and Swenson.
Missotten, M. *See* Martinou, Fernandez, Missotten, White, Allet, Sadoul, and Martinou.
Mitchison, T. J. *See* Desai and Mitchison.
— *See* Wordeman and Mitchison.
Miyazawa, K. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Modrell, B. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Montcourrier, P. *See* Martin, Andréoli, Sahuquet, Montcourrier, Algrain, and Mangeat.
Montecucco, C. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Monteiro, C. A. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.
Montijn, R. C. *See* Lu, Montijn, Brown, Klis, Kurjan, Bussey, and Lipke.
Moorby, C. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Moore, K. L., Patel, K. D., Bruehl, R. E., Fugang, L., Johnson, D. A., Lichenstein, H. S., Cummings, R. D., Bainton, D. F., and McEver, R. P. P-selectin glycoprotein ligand-1 mediates rolling of human neutrophils on P-selectin. 661.
Moorthy, S. *See* Hu, Moorthy, and Bennett.
Morris, J. H. *See* Venuti, Morris, Vivian, Olson, and Klein.
Moya, K. *See* Allinquant, Hantraye, Mailleux, Moya, Bouillot, and Prochiantz.
Muallem, S., Kwiatkowska, K., Xu, X., and Yin, H. L. Actin filament disassembly is a sufficient final trigger for exocytosis in nonexcitable cells. 589.
Mumby, M. C. *See* Sontag, Nunbhakdi-Craig, Bloom, and Mumby.
Murofushi, H. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Murphy, J. *See* Fässler, Pfaff, Murphy, Noegel, Johansson, Timpl, and Albrecht.

N

Nislow, C. *See* Lombillo, Nislow, Yen, Gelfand, and McIntosh.
Noble, M. D. *See* Woolf, Kolatsi-Joannou, Hardman, Andermarcher, Moorby, Fine, Jat, Noble, and Gherardi.
Noegel, A. A. *See* Fässler, Pfaff, Murphy, Noegel, Johansson, Timpl, and Albrecht.
Novick, P. *See* Govindan, Bowser, and Novick.
Nunbhakdi-Craig, V. *See* Sontag, Nunbhakdi-Craig, Bloom, and Mumby.

O

Okumura, E. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Olson, E. N. *See* Staudinger, Zhou, Burgess, Elledge, and Olson.
— *See* Venuti, Morris, Vivian, Olson, and Klein.
Ooi, C. E. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Ookata, K., Hisanaga, S., Bulinski, J. C., Murofushi, H., Aizawa, H., Itoh, T. J., Hotani, H., Okumura, E., Tachibana, K., and Kishimoto, T. Cyclin B interaction with microtubule-associated protein 4 (MAP4) targets $p34^{cdc2}$ kinase to microtubules and is a potential regulator of M-phase microtubule dynamics. 849.
Oorschot, V. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Orci, L. *See* Shaywitz, Orci, Ravazzola, Swaroop, and Kaiser.
Ozawa, E. *See* Suzuki, Yoshida, and Ozawa.

P

Pagano, R. E. *See* Hanada and Pagano.
Panzeri, M. C. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Papazafiri, P. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Pardi, R. *See* Pfau, Leitenberg, Rinder, Smith, Pardi, and Bender.
Pardue, M. L. *See* Ayme-Southgate, Southgate, Saide, Benian, and Pardue.
Parton, R. G. *See* Fiedler, Lafont, Parton, and Simons.
Parvinen, M. *See* Västrik, Kaipainen, Penttilä, Lymboussakis, Alitalo, Parvinen, and Alitalo.
Pasternak, C., Wong, S., and Elson, E. L. Mechanical function of dystrophin in muscle cells. 355.
Patel, K. D. *See* Moore, Patel, Bruehl, Fugang, Johnson, Lichenstein, Cummings, Bainton, and McEver.
Peach, R. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Penttilä, T.-L. *See* Västrik, Kaipainen, Penttilä, Lymboussakis, Alitalo, Parvinen, and Alitalo.
Perrone, T. N. *See* Albers, Davis, Perrone, Lee, Liu, and Vore.
Persson, H. *See* Timmusk, Lendahl, Fanakoshi, Arenas, Persson, and Metsis.
Peters, P. J., Hsu, V. W., Ooi, C. E., Finazzi, D., Teal, S. B., Oorschot, V., Donaldson, J. G., and Klausner, R. D. Overexpression of wild-type and mutant ARF1 and ARF6: Distinct perturbations of nonoverlapping membrane compartments. 1003.
Pfaff, M. *See* Fässler, Pfaff, Murphy, Noegel, Johansson, Timpl, and Albrecht.
Pfau, S., Leitenberg, D., Rinder, H., Smith, B. R., Pardi, R., and Bender, J. R. Lymphocyte adhesion-dependent calcium signaling in human endothelial cells. 969.
Pinon, D. *See* Roettger, Rentsch, Pinon, Holicky, Hadac, Larkin, and Miller.
Piper, R. C., Xu, X., Russell, D. G., Little, B. M., and Landfear, S. M. Differential targeting of two glucose transporters from *Leishmania enriettii* is mediated by an NH_2-terminal domain. 499.
Ploubidou, A. *See* Robinson, Sherwin, Ploubidou, Byard, and Gull.
Plowman, G. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Posse de Chaves, E., Vance, D. E., Campenot, R. B., and Vance, J. E. Axonal synthesis of phosphatidylcholine is required for normal axonal growth in rat sympathetic neurons. 913.
Poulat, F., Girard, F., Chevron, M.-P., Gozé, C., Rebillard, X., Calas, B., Lamb, N., and Berta, P. Nuclear localization of the testis determining gene product SRY. 737.
Powers, M. A., Macaulay, C., Masiarz, F. R., and Forbes, D. J. Reconstituted nuclei depleted of a vertebrate GLFG nuclear pore protein, p97, import but are defective in nuclear growth and replication. 721.
Prochiantz, A. *See* Allinquant, Hantraye, Mailleux, Moya, Bouillot, and Prochiantz.

R

Raab, G. *See* Higashiyama, Iwamoto, Goishi, Raab, Taniguchi, Klagsbrun, and Mekada.

Raichman, M., Panzeri, M. C., Clementi, E., Papazafiri, P., Eckley, M., Clegg, D. O., Villa, A., and Meldolesi, J. Differential localization and functional role of calsequestrin in growing and differentiated myoblasts. 341.
Rapiejko, P. J. *See* Silberstein, Collins, Kelleher, Rapiejko, and Gilmore.
Ravazzola, M. *See* Shaywitz, Orci, Ravazzola, Swaroop, and Kaiser.
Rebillard, X. *See* Poulat, Girard, Chevron, Gozé, Rebillard, Calas, Lamb, and Berta.
Regazzi, R. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Rentsch, R. U. *See* Roettger, Rentsch, Pinon, Holicky, Hadac, Larkin, and Miller.
Ridsdale, J. A. *See* Cox, Ridsdale, Condeelis, and Hartwig.
Rinder, H. *See* Pfau, Leitenberg, Rinder, Smith, Pardi, and Bender.
Robinson, D. R., Sherwin, T., Ploubidou, A., Byard, E. H., and Gull, K. Microtubule polarity and dynamics in the control of organelle positioning, segregation, and cytokinesis in the trypanosome cell cycle. 1163.
Roeder, G. S. *See* Sym and Roeder.
Roettger, B. F., Rentsch, R. U., Pinon, D., Holicky, E., Hadac, E., Larkin, J. M., and Miller, L. J. Dual pathways of internalization of the cholecystokinin receptor. 1029.
Roh, J.-Y., and Stanley, J. R. Intracellular domain of desmoglein 3 (Pemphigus Vulgaris Antigen) confers adhesive function on the extracellular domain of E-cadherin without binding catenins. 939.
Rosen, V. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Rosette, C., and Karin, M. Cytoskeletal control of gene expression: Depolymerization of microtubules activates NF-κB. 1111.
Ruegg, M. A. *See* Gesemann, Denzer, and Ruegg.
Russell, D. G. *See* Piper, Xu, Russell, Little, and Landfear.

S

Sadoul, K., Lang, J., Montecucco, C., Weller, U., Regazzi, R., Catsicas, S., Wollheim, C. B., and Halban, P. A. SNAP-25 is expressed in islets of Langerhans and is involved in insulin release. 1019.
Sadoul, R. *See* Martinou, Fernandez, Missotten, White, Allet, Sadoul, and Martinou.
Sahuquet, A. *See* Martin, Andréoli, Sahuquet, Montcourrier, Algrain, and Mangeat.
Saide, J. *See* Ayme-Southgate, Southgate, Saide, Benian, and Pardue.
Sakai, J. *See* Way, Sanders, Garcia, Sakai, and Matsudaira.
Sanders, M. *See* Way, Sanders, Garcia, Sakai, and Matsudaira.
Saunders, J. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.
Saunders, W. S., Koshland, D., Eshel, D., Gibbons, I. R., and Hoyt, M. A. *Saccharomyces cerevisiae* kinesin- and dynein-related proteins required for anaphase chromosome segregation. 617.
Sawyer, A. *See* Andersen, Buendia, Domínguez, Sawyer, and Karsenti.
Schafer, D. A., Hug, C., and Cooper, J. A. Inhibition of CapZ during myofibrillogenesis alters assembly of actin filaments. 61.
Schalling, M. *See* Taneja, McCurrach, Schalling, Housman, and Singer.
Schibler, U. *See* Schmidt and Schibler.
Schiebel, E. *See* Spang, Courtney, Grein, Matzner, and Schiebel.
Schmidt, E. E., and Schibler, U. Cell size regulation, a mechanism that controls cellular RNA accumulation: Consequences on regulation of the ubiquitous transcription factors Oct1 and NF-Y, and the liver-enriched transcription factor DBP. 467.
Schneider, K. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.
Scrobogna, M. *See* Giannini, Conti, Mammarella, Scrobogna, and Sorrentino.
Segall, J. E., Kuspa, A., Shaulsky, G., Ecke, M., Maeda, M., Gaskins, C., Firtel, R. A., and Loomis, W. F. A MAP kinase necessary for receptor-mediated activation of adenylyl cyclase in *Dictyostelium*. 405.
Selkoe, D. J. *See* Haass, Koo, Capell, Teplow, and Selkoe.
Shah, A. K. *See* Shartava, Monteiro, Bencsath, Schneider, Chait, Gussio, Casoria-Scott, Shah, Heuerman, and Goodman.
Shartava, A., Monteiro, C. A., Bencsath, F. A., Schneider, K., Chait, B. T., Gussio, R., Casoria-Scott, L. A., Shah, A. K., Heuerman, C. A., and Goodman, S. R. A posttranslational modification of β-actin contributes to the slow dissociation of the spectrin-protein 4.1-actin complex of irreversibly sickled cells. 805.
Shaulsky, G. *See* Segall, Kuspa, Shaulsky, Ecke, Maeda, Gaskins, Firtel, and Loomis.
Shaywitz, D. A., Orci, L., Ravazzola, M., Swaroop, A., and Kaiser, C. A. Human SEC13Rp functions in yeast and is located on transport vesicles budding from the endoplasmic reticulum. 769.
Sheetz, M. P. *See* Garcia-Blanco, Miller, and Sheetz.
Sherwin, T. *See* Robinson, Sherwin, Ploubidou, Byard, and Gull.
Shibamoto, S., Hayakawa, M., Takeuchi, K., Hori, T., Miyazawa, K., Kitamura, N., Johnson, K. R., Wheelock, M. J., Matsuyoshi, N., Takeichi, M., and Ito, F. Association of p120, a tyrosine kinase substrate, with E-cadherin/catenin complexes. 949.
Shields, J. *See* Jackson, Bell, Dickinson, Timans, Shields, and Whittle.
Shuster, C. B., and Herman, I. M. Indirect association of ezrin with F-actin: Isoform specificity and calcium sensitivity. 837.
Silberstein, S., Collins, P. G., Kelleher, D. J., Rapiejko, P. J., and Gilmore, R. The α subunit of the *Saccharomyces cerevisiae* oligosaccharyltransferase complex is essential for vegetative growth of yeast and is homologous to mammalian ribophorin I. 525.
Simmons, D. L. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.
Simon, J. C. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Simons, K. *See* Fiedler, Lafont, Parton, and Simons.
Singer, R. H. *See* Taneja, McCurrach, Schalling, Housman, and Singer.
Smith, B. R. *See* Pfau, Leitenberg, Rinder, Smith, Pardi, and Bender.
So, C. L. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Song, Y.-H., and Mandelkow, E. The anatomy of flagellar microtubules: Polarity, seam, junctions, and lattice. 81.
Sontag, E., Nunbhakdi-Craig, V., Bloom, G. S., and Mumby, M. C. A novel pool of protein phosphatase 2A is associated with microtubules and is regulated during the cell cycle. 1131.
Sorrentino, V. *See* Giannini, Conti, Mammarella, Scrobogna, and Sorrentino.
Southgate, R. *See* Ayme-Southgate, Southgate, Saide, Benian, and Pardue.
Spang, A., Courtney, I., Grein, K., Matzner, M., and Schiebel, E. The Cdc31p-binding protein Kar1p is a component of the half bridge of the yeast spindle pole body. 863.
Spragg, J. H. *See* Fawcett, Buckley, Holness, Bird, Spragg, Saunders, Harris, and Simmons.
Springer, T. A. *See* Alon, Kassner, Carr, Finger, Hemler, and Springer.
Stamenkovic, I. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Stanley, J. R. *See* Roh and Stanley.
Staudinger, J., Zhou, J., Burgess, R., Elledge, S. J., and Olson, E. N. PICK1: A perinuclear binding protein and substrate for protein kinase C isolated by the yeast two-hybrid system. 263.
Stewart, M. *See* Buss and Stewart.
Strunnikov, A. V., Kingsbury, J., and Koshland, D. *CEP3* encodes a centromere protein of *Saccharomyces cerevisiae*. 749.
Suda, T. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Sugi, Y. *See* Byeon, Sugi, Markwald, and Hoffman.
Suzuki, A., Yoshida, M., and Ozawa, E. Mammalian α1- and β1-syntrophin bind to the alternative splice-prone region of the dystrophin COOH terminus. 373.
Swaroop, A. *See* Shaywitz, Orci, Ravazzola, Swaroop, and Kaiser.
Swenson, K. I. *See* Turner, Minkoff, Martin, Misra, and Swenson.
Sym, M., and Roeder, G. S. Zip1-induced changes in synaptonemal complex structure and polycomplex assembly. 455.

T

Tachibana, K. *See* Ookata, Hisanaga, Bulinski, Murofushi, Aizawa, Itoh, Hotani, Okumura, Tachibana, and Kishimoto.
Tajima, S. *See* Miller, Tajima, Lauffer, and Walter.

Takahashi, N. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Takeichi, M. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Takeuchi, K. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
Tam, P. P. L. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Tan, X., Waterham, H. R., Veenhuis, M., and Cregg, J. M. The *Hansenula polymorpha PER8* gene encodes a novel peroxisomal integral membrane protein involved in proliferation. 307.
Tanaka, E., and Kirschner, M. W. The role of microtubules in growth cone turning at substrate boundaries. 139.
—, Ho, T., and Kirschner, M. W. The role of microtubule dynamics in growth cone motility and axonal growth. 127.
Tanczos, E. *See* Bennett, Jackson, Simon, Tanczos, Peach, Modrell, Stamenkovic, Plowman, and Aruffo.
Taneja, K. L., McCurrach, M., Schalling, M., Housman, D., and Singer, R. H. Foci of trinucleotide repeat transcripts in nuclei of myotonic dystrophy cells and tissues. 995.
Taniguchi, N. *See* Higashiyama, Iwamoto, Goishi, Raab, Taniguchi, Klagsbrun, and Mekada.
Teal, S. B. *See* Peters, Hsu, Ooi, Finazzi, Teal, Oorschot, Donaldson, and Klausner.
Teplow, D. B. *See* Haass, Koo, Capell, Teplow, and Selkoe.
Thiery, J. P. *See* Beauvais, Erickson, Goins, Craig, Humphries, Thiery, and Dufour.
Timans, J. *See* Jackson, Bell, Dickinson, Timans, Shields, and Whittle.
Timberlake, W. E. *See* Fischer and Timberlake.
Timmusk, T., Lendahl, U., Funakoshi, H., Arenas, E., Persson, H., and Metsis, M. Identification of brain-derived neurotrophic factor promoter regions mediating tissue-specific, axotomy-, and neuronal activity–induced expression in transgenic mice. 185.
Timpl, R. *See* Fässler, Pfaff, Murphy, Noegel, Johansson, Timpl, and Albrecht.
Trainor, P. A. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Turner, J. E., Minkoff, C. G., Martin, K. H., Misra, R., and Swenson, K. I. Oocyte activation and passage through the metaphase/anaphase transition of the meiotic cell cycle is blocked in clams by inhibitors of HMG-CoA reductase activity. 1145.

V

Valtorta, F. *See* Ceccaldi, Grohovaz, Benfenati, Chieregatti, Greengard, and Valtorta.
Vance, D. E. *See* Posse de Chaves, Vance, Campenot, and Vance.
Vance, J. E. *See* Posse de Chaves, Vance, Campenot, and Vance.
Västrik, I., Kaipainen, A., Penttilä, T.-L., Lymboussakis, A., Alitalo, R., Parvinen, M., and Alitalo, K. Expression of the *mad* gene during cell differentiation in vivo and its inhibition of cell growth in vitro. 1197.
Veenhuis, M. *See* Tan, Waterham, Veenhuis, and Cregg.
Venuti, J. M., Morris, J. H., Vivian, J. L., Olson, E. N., and Klein, W. H. Myogen is required for late but not early aspects of myogenesis during mouse development. 563.
Vida, T. A., and Emr, S. D. A new vital stain for visualizing vacuolar membrane dynamics and endocytosis in yeast. 779.
Villa, A. *See* Raichman, Panzeri, Clementi, Papazafiri, Eckley, Clegg, Villa, and Meldolesi.
Vivian, J. L. *See* Venuti, Morris, Vivian, Olson, and Klein.
von Mollard, G. F. *See* Walch-Solimena, Blasi, Edelmann, Chapman, von Mollard, and Jahn.
Vore, M. *See* Albers, Davis, Perrone, Lee, Liu, and Vore.

W

Wade, R. H. *See* Hyman, Chrétien, Arnal, and Wade.
Wahlberg, J. M. *See* Barth, Wahlberg, and Garoff.
Wai, A. W. K. *See* Cheah, Levy, Trainor, Wai, Kuffner, So, Leung, Lovell-Badge, and Tam.
Walch-Solimena, C., Blasi, J., Edelmann, L., Chapman, E. R., von Mollard, G. F., and Jahn, R. The t-SNAREs syntaxin 1 and SNAP-25 are present on organelles that participate in synaptic vesicle recycling. 637.
Wallace, B. G. Regulation of the interaction of nicotinic acetylcholine receptors with the cytoskeleton by agrin-activated protein tyrosine kinase. 1121.
Walter, P. *See* Miller, Tajima, Lauffer, and Walter.
Wang, S.-Z., and Adler, R. Chromokinesin: A DNA-binding, kinesin-like nuclear protein. 761.
Waterham, H. R. *See* Tan, Waterham, Veenhuis, and Cregg.
Watt, F. M. *See* Hotchin, Gandarillas, and Watt.
Way, M., Sanders, M., Garcia, C., Sakai, J., and Matsudaira, P. Sequence and domain organization of scruin, an actin–cross-linking protein in the acrosomal process of *Limulus* sperm. 51.
Weller, U. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Wheelock, M. J. *See* Shibamoto, Hayakawa, Takeuchi, Hori, Miyazawa, Kitamura, Johnson, Wheelock, Matsuyoshi, Takeichi, and Ito.
White, E. *See* Martinou, Fernandez, Missotten, White, Allet, Sadoul, and Martinou.
Whittle, N. *See* Jackson, Bell, Dickinson, Timans, Shields, and Whittle.
Wollheim, C. B. *See* Sadoul, Lang, Montecucco, Weller, Regazzi, Catsicas, Wollheim, and Halban.
Wong, S. *See* Pasternak, Wong, and Elson.
Woolf, A. S., Kolatsi-Joannou, M., Hardman, P., Andermarcher, E., Moorby, C., Fine, L. G., Jat, P. S., Noble, M. D., and Gherardi, E. Roles of hepatocyte growth factor/scatter factor and the met receptor in the early development of the metanephros. 171.
Wordeman, L., and Mitchison, T. J. Identification and partial characterization of mitotic centromere-associated kinesin, a kinesin-related protein that associates with centromeres during mitosis. 95.
Wozney, J. M. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.

X

Xu, X. *See* Muallem, Kwiatkowska, Xu, and Yin.
— *See* Piper, Xu, Russell, Little, and Landfear.

Y

Yamaguchi, A. *See* Katagiri, Yamaguchi, Komaki, Abe, Takahashi, Ikeda, Rosen, Wozney, Fujisawa-Sehara, and Suda.
Yang, T., Kozopas, K. M., and Craig, R. W. The intracellular distribution and pattern of expression of Mcl-1 overlap with, but are not identical to, those of Bcl-2. 1173.
Yen, T. J. *See* Lombillo, Nislow, Yen, Gelfand, and McIntosh.
Yin, H. L. *See* Muallem, Kwiatkowska, Xu, and Yin.
Yoshida, M. *See* Suzuki, Yoshida, and Ozawa.

Z

Zhang, J. S., and Longo, F. M. LAR tyrosine phosphatase receptor: Alternative splicing is preferential to the nervous system, coordinated with cell growth and generates novel isoforms containing extensive CAG repeats. 415.
Zheng, Y. *See* Li, Zheng, and Drubin.
Zhou, J. *See* Staudinger, Zhou, Burgess, Elledge, and Olson.

SUBJECT INDEX VOLUME 128

ABP-120 protein, genetic deletion of alters actin filaments, *Dictyostelium* pseudopods, 819
Acetylcholine receptors, -aggregating activity of agrin isoforms, mapping of active site, 625
Acrosomal process, of *Limulus* sperm, sequence and domain organization of scruin, actin–cross-linking protein, 51
Actin
  alteration of filament assembly of, inhibition of CapZ during myofibrillogenesis, 61
  -capping domain of chicken cardiac tensin, molecular cloning, expression, and mapping, 1095
  –cross-linking protein in acrosomal process, sequence and domain organization of scruin, *Limulus* sperm, 51
  dephosphorylated synapsin I anchors synaptic vesicles to, cytoskeleton, videomicroscopy, 905
  disassembly of, final trigger for exocytosis, nonexcitable cells, 589
  posttranslational modification of β-, slow dissociation of spectrin-protein 4.1-actin complex, sickled cells, 805
  regulation in cortical cytoskeleton assembly, polarized cell growth, budding yeast, 599
  three-dimensional organization in *Dictyostelium* pseudopods, genetic deletion of ABP-120, 819
Adenylyl cyclase, activation in *Dictyostelium*, MAP kinase, 405
Adhesion
  affected by lack of β1 integrin gene, embryonic stem cells, morphology, migration, integration into blastocysts, 979
  association of p120 with E-cadherin/catenin complexes, tyrosine kinase substrate, 949
  -dependent calcium signaling, lymphocytes, human endothelial cells, 969
  ezrin NH_2-terminal domain inhibits cell extension, COOH-terminal domain, 1081
  integrin VLA-4 supports tethering and rolling in flow on VCAM-1, 1243
  intracellular domain of desmoglein 3 confers, pemphigus vulgaris antigen, E-cadherin, catenins, 939
  role of CD31 in, mapping homotypic binding sites in CD31, formation of interendothelial cell contacts, 1229
α-Agglutinin, cross-linking with β1,6-glucan, glycosyl phosphatidylinositol, *Saccharomyces cerevisiae* cell wall, 333
Agrin
  acetylcholine receptor-aggregating activity of, mapping of active site, 625
  -activated protein tyrosine kinase, interaction of nicotinic acetylocholine receptors with cytoskeleton, 1121
Alphavirus, oligomerization reaction of Semliki Forest virus membrane protein subunits, 283
Alzheimer's disease, polarized sorting is regulated by two independent signals, β-amyloid precursor protein, proteolytic products in MDCK cells, 537
Amyloid precursor protein, inhibits neurite outgrowth in vitro, downregulation, 919
β-Amyloid precursor protein
  polarized sorting of, proteolytic products in MDCK cells, independent signals, 537
  and transforming growth factor-α share a secretory mechanism, 433
Anaphase, chromosome segregation in, *Saccharomyces cerevisiae*, kinesin- and dynein-related proteins, 617
Annexin, is implicated in vesicular traffic to apical plasma membrane, epithelial specific, 1043
Anucleate primary sterigmata mutants, of *Aspergillus nidulans*, coiled-coil protein, nuclear positioning, asexual development, 485
Apical plasma membrane, vesicular traffic to, annexin XIIIb is an epithelial specific annexin, 1043
Apoptosis, activation of in mammary epithelial cells, p53, survival function of EGF and insulin, 1185
ARF GTP binding proteins, overexpression of wild-type and mutant ARF1 and ARF6, nonoverlapping membrane compartments, 1003
Armadillo repeat domain, of β-catenin, embryonic axis induction, intracellular signaling, 959
Asexual development, coiled-coil protein required for, *Aspergillus nidulans* anucleate primary sterigmata, nuclear positioning, 485
Aspergillus nidulans
  anucleate primary sterigmata of, coiled-coil protein, nuclear positioning, asexual development, 485
  myoA of encodes an essential myosin I, secretion, polarized growth, 577
  AST1 gene, prevents mislocalization of mutant ATPase, targeting of yeast plasma membrane $[H^+]$ATPase, vacuole, 39
Axis induction, by Armadillo repeat domain of β-catenin, intracellular signaling, 959
Axon elongation, role of microtubule dynamics in, growth cone motility, 139
Axons, synthesis of phosphatidylcholine is required for normal growth of, rat sympathetic neurons, 913
Basement membranes, high affinity immunoreactive FGF receptors in extracellular matrix of vascular endothelial cells, modulation of FGF-2, 1221
Bcl-2, intracellular distribution and pattern of expression overlaps with those of Mcl-1, 1173
bent locus, of Drosophila, projectin contains functional kinase domains, synchronous and asynchronous muscle isoforms, 393
Beta$_G$-Spectrin, disrupts epithelial cell morphology, functional domains, 1069
Bile flow, expression of epidermal keratin protein in liver of transgenic mice, structural and functional abnormalities, 157
BiP, as sequential molecular chaperone, calnexin, thyroglobulin folding in endoplasmic reticulum, 29
Bipartite domains, visualization of, nuclear spreads, ribosomal RNA, 15
Blastocysts, lack of β1 integrin gene does not affect integration into, embryonic stem cells, morphology, adhesion, migration, 979
Botulinum neurotoxins, SNAP-25 is expressed in Islets of Langerhans, insulin release, 1019
Brain, ryanodine receptor/calcium channel genes are expressed in, peripheral tissues, 893
Brain-derived neurotrophic factor, mediates tissue-specific, axotomy-, and neuronal activity–induced expression, identification of promoter regions, transgenic mice, 185
Budding
  Aspergillus nidulans anucleate primary sterigmata, coiled-coil protein, nuclear positioning, asexual development, 485
  cortical actin cytoskeleton assembly, polarized cell growth in yeast, 599
Calcium
  depletion from lumen of endoplasmic reticulum, inhibition of passive diffusion and transport into nucleus, 5
  sensitivity from indirect association of ezrin with F-actin, isoform specificity, 837
  signaling in human endothelial cells, lymphocyte adhesion, 969
Calcium binding protein, Cdc31p-binding protein Karlp, half-bridge of yeast spindle pole body, 863
Calcium channel genes, expressed in murine brain and peripheral tissues, ryanodine receptors, 893
Calmodulin-dependent protein kinase II, dephosphorylated synapsin I anchors synaptic vesicles to actin cytoskeleton, videomicroscopy, 905
Calnexin, as sequential molecular chaperone, BiP, thyroglobulin folding in endoplasmic reticulum, 29
Calpain I, sensitivity from indirect association of ezrin with F-actin, isoform specificity, 837
Calsequestrin, differential localization and role of, growing and differentiated myoblasts, 341
cAMP, MAP kinase, activation of adenylyl cyclase in *Dictyostelium*, 405
CapZ, inhibition of, myofibrillogenesis, alteration of assembly of actin filaments, 61
Cardiac muscle, high affinity actin-capping domain of chicken tensin in, molecular cloning, expression, and mapping, 1095
Catenins
  Armadillo repeat domain of β-, embryonic axis induction, intracellular signaling, 959
  complex with E-cadherin, p120, tyrosine kinase substrate, 949
  desmoglein 3 does not bind, pemphigus vulgaris antigen, adhesive function on extracellular domain of E-cadherin, 939
CD31, mapping homotypic binding sites in, role in adhesion in interendothelial cell contacts, 1229

CD44 isoforms
alternatively spliced variants containing v3 exon, proteoglycan forms of lymphocyte homing receptor, 673
responsible for presentation of heparin-forming growth factor, exon V3, 687
Cdc42 protein, cortical actin cytoskeleton assembly, polarized cell growth in yeast, 599
Cdc3lp, -binding protein Karlp, half-bridge of yeast spindle pole body, 863
CD9/DRAP 27, potentiates juxtacrine growth factor activity, heparin-binding EGF-like growth factor, 929
Cell cycle regulation, of protein phosphatase 2A, microtubules, 1131
Cell differentiation, expression of *mad* gene during, inhibition of cell growth in vitro, 1197
Cell extension, ezrin NH_2-terminal domain inhibits, COOH-terminal domain, 1081
Cell motility, of sarcoma S180 cells in vitro and in embryonic environment, fibronectin-specific integrin expression pattern, 699
Cell size regulation, a mechanism that controls cellular RNA accumulation, transcription factors Oct1 and NF-Y, liver-enriched transcription factor DBP, 467
Cell surface, regulation of β1 integrin levels in, keratinocyte terminal differentiation, 1209
CENP-E, inhibition of microtubule depolymerization-dependent motion by antibodies to, kinesin motor domain, chromosomes, 107
Centromeres
CEP3 encodes a protein in, *Saccharomyces cerevisiae*, 749
kinesin-related protein that associates with, identification of mitotic centromere-associated kinesin, mitosis, 95
structure of chromatin in, *Schizosaccharomyces pombe*, novel *cis*-acting centromeric DNA element, 445
CEP3 gene, encodes centromere protein, *Saccharomyces cerevisiae*, 749
Chaperones, calnexin and BiP act as, thyroglobulin folding in endoplasmic reticulum, 29
Chicken
acetylcholine receptor-aggregating activity of agrin isoforms, mapping of active site, 625
cardiac tensin of, molecular cloning, expression, and mapping, high affinity actin-capping domain, 1095
Chinese hamster
ovary cell mutant of, non-endocytic uptake of fluorescent analogs of phosphatidylserine, cytosol acidification protocol, 793
transforming growth factor-α, β-amyloid precursor protein, secretory mechanism, 433
CHO cells
dual pathways of internalization of cholecystokinin receptor, 1029
identification of mitotic centromere-associated kinesin, kinesin-related protein associates with centromeres during mitosis, 95
Cholecystokinin receptor, dual pathways of internalization of, 1029
Chondrocytes, type X collagen gene expression in, mouse, immortalization by temperature-sensitive simian virus 40 large tumor antigen, 239
Chondrodysplasia, caused by human COL2A1-directed SV40 T antigen expression, transgenic and chimeric mice, 223
Chromatin, centromere structure in, *Schizosaccharomyces pombe*, novel *cis*-acting centromeric DNA element, 445
Chromokinesin, a DNA-binding, kinesin-like nuclear protein, 761
Chromosome motion, inhibition of in vitro, antibodies to kinesin motor domain and CENP-E, inhibition of microtubule depolymerization-dependent motion, 107
Chromosome movement
chromokinesin, a DNA-binding, kinesin-like nuclear protein, 761
motor proteins as couplers, depolymerizing microtubules, 1
Chromosome segregation, kinesin- and dynein-related proteins required for, anaphase, *Saccharomyces cerevisiae*, 617
COL2A1 gene, -directed SV40 T antigen expression, transgenic and chimeric mice, abnormal skeletal development, 223
Cortical cells, downregulation of amyloid precursor protein, inhibition of neurite outgrowth in vitro, 919
Cyclin B, interaction with microtubule-associated protein 4, targets $P34^{CDC2}$ kinase, M-phase microtubule dynamics, 849
Cyclins, oocyte activation and passage through metaphase/anaphase transition, clams, inhibitors of HMG-CoA reductase, 1145
Cytokinesis, controlled by microtubule polarity and dynamics, organelle positioning, segregation, trypanosome cell cycle, 1163
Cytoskeleton
controls gene expression, depolymerization of microtubules activates NF-κB, 1111
interaction with nicotinic acetylcholine receptors, agrin-activated protein tyrosine kinase, 1121
Cytosol, acidification protocol of, Chinese hamster ovary cell mutant, non-endocytic uptake of fluorescent analogs of phosphatidylserine, 793
Desensitization, dual pathways of internalization of cholecystokinin receptor, 1029
Desmogleins, confers adhesive function on extracellular domain of E-cadherin, pemphigus vulgaris antigen, catenins, 939
Dictyostelium, actin filaments in pseudopods of, genetic deletion of ABP-120, 819
Dictyostelium discoideum, activation of adenylyl cyclase in, MAP kinase, 405
DNA binding protein, chromokinesin, kinesin-like nuclear protein, 761
DNA element, affects centromeric chromatin structure at a distance, *Schizosaccharomyces pombe*, 445
Dog, annexin XIIIb is an epithelial specific annexin, vesicular traffic to apical plasma membrane, 1043
Drosophila, bent locus product of, projectin contains functional kinase domains, synchronous and asynchronous muscle isoforms, 393
Drosophila, development requires spectrin network formation, 71
Duchenne muscular dystrophy
mechanical function of dystrophin, muscle cells, 355
syntrophin binds to dystrophin, alternatively spliced exon, 363
syntrophin binds to dystrophin, mammalian α1- and β1-syntrophin, alternative splice-prone region, COOH terminus, 373
Dynein
antibodies to kinesin motor domain and CENP-E, inhibition of microtubule depolymerization-dependent motion of chromosomes, 107
drives formation of endoplasmic reticulum networks in vitro, protein phosphatase 1, 879
Dystrophin
mechanical function of, muscle cells, 355
syntrophin binds to, alternatively spliced exon, 363
syntrophin binds to, mammalian α1- and β1-syntrophin, alternative splice-prone region, COOH terminus, 373
E1B19K protein, protects sympathetic neurons from cell death, p35, NGF deprivation, 201
E-cadherin
adhesive function on extracellular domain of, desmoglein 3, pemphigus vulgaris antigen, catenins, 939
complex with catenin, p120, tyrosine kinase substrate, 949
EGF, survival in mammary epithelial cells, p53, apoptosis, insulin, 1185
Embryogenesis
migratory behavior of sarcoma S180 cells in, fibronectin-specific integrin expression pattern, 699
myogenin is required for late but not early myogenesis, mouse development, 563
Embryonic stem cells, lack of β1 integrin gene in, morphology, adhesion, migration, integration into blastocysts, 979
Endocytosis
cytoplasmic determinants in, lysosomal sorting, targeting of rat lgp120 (lamp-I) in MDCK cells, 321
visualizing in yeast, vacuolar membrane dynamics, new vital stain, 779
Endoplasmic reticulum
depletion of calcium from, inhibition of passive diffusion and transport into nucleus, 5
differential localization and role of calsequestrin, differentiated myoblasts, 341
human SEC13Rp is located on transport vesicles budding from, yeast, 769
microtubule-mediated membrane traffic from Golgi to, kinesin, 293
protein phosphatase 1 regulates formation of, cytoplasmic dynein-driven, 879
β subunit of signal recognition particle receptor anchors α subunit to membrane of, transmembrane and peripheral membrane GTPases, 273
thyroglobulin folding in, calnexin and BiP act as sequential molecular chaperones, 29
Endosomes
overexpression of wild-type and mutant ARF1 and ARF6, nonoverlapping membrane compartments, 1003
transferrin trafficking in, nonvectorial and retrograde, HEp2 cells, 549
Endothelial cells
in human, lymphocyte adhesion-dependent calcium signaling, 969
role of CD31 adhesion in formation of interendothelial cell contacts, mapping homotypic binding sites in CD31, 1229
Epithelial cells, annexin XIIIb in, vesicular traffic to apical plasma membrane, 1043
ERK, MAP kinase, activation of adenylyl cyclase in *Dictyostelium*, 405

Exocytosis
actin filament disassembly is final trigger for, nonexcitable cells, 589
dephosphorylated synapsin I anchors synaptic vesicles to actin cytoskeleton, videomicroscopy, 905
t-SNAREs syntaxin 1 and SNAP-25 in organelles, synaptic vesicle recycling, 637
Extracellular matrix, high affinity immunoreactive FGF receptors in, modulation of FGF-2, 1221
Ezrin
indirect association with F-actin, isoform specificity, calcium sensitivity, 837
NH_2-terminal domain of inhibits cell extension activity, COOH-terminal domain, 1081
F-Actin
indirect association with ezrin, isoform specificity, calcium sensitivity, 837
GAP-43 depletion in growth cones, absence of persistent spreading, branching, and adhesion, 647
tropomyosin is essential in yeast, *TPM1* and *TPM2* products, 383
FGF receptors, in extracellular matrix of vascular endothelial cells, high affinity immunoreactive, modulation of FGF-2, 1221
Fibrillarin, nuclear spreads, visualization of bipartite rRNA domains, 15
Fibronectins, -specific integrin expression pattern, migratory behavior of sarcoma S180 cells, in vitro and in embryonic environment, 699
Flagella, anatomy of, polarity, seam, junctions, and lattice, 81
Flagellum, targeting of two glucose transporters from *Leishmania enriettii*, mediated by NH_2-terminal domain, 499
GAP-43 protein, depletion in growth cones, absence of persistent spreading, branching, and adhesion, 647
Gene expression, cytoskeletal control of, depolymerization of microtubules activates NF-κB, 1111
GLFG domain, reconstituted nuclei depleted of a vertebrate nuclear pore protein, p97, defective in nuclear growth and replication, 721
β1,6-Glucan, cross-linking with α-agglutinin, glycosyl phosphatidylinositol, *Saccharomyces cerevisiae* cell wall, 333
Glucose transporters, differential targeting of, *Leishmania enriettii*, mediated by NH_2-terminal domain, 499
Glycosyl phosphatidylinositol, -dependent cross-linking of α agglutinin and β1,6-glucan, *Saccharomyces cerevisiae* cell wall, 333
Glycosylation, α subunit of oligosaccharyltransferase complex, *Saccharomyces cerevisiae*, vegetative growth, homologous to mammalian ribophorin I, 525
Golgi complex, microtubule-mediated membrane traffic from, kinesin, endoplasmic reticulum, 293
Growth cones
GAP-43 depletion in, absence of persistent spreading, branching, and adhesion, 647
motility of, role of microtubule dynamics, axonal growth, 139
turning at substrate boundaries of, role of microtubules, 127
Growth inhibition, caused by *mad* gene, cell differentiation in vivo, 1197
Growth-associated proteins, depletion in growth cones, absence of persistent spreading, branching, and adhesion, 647
GTP hydrolysis, structural changes accompanying, microtubules, hydrolyzable analogue, guanylyl-(α,β)-methylene-disphosphonate, 117
GTPases, transmembrane and peripheral membrane GTPases, β subunit of signal recognition particle receptor anchors α subunit to endoplasmic reticulum, 273
Guanylyl-(α,β)-methylene-disphosphonate, information from, structural changes accompanying GTP hydrolysis in microtubules, hydrolyzable analogue, 117
Hansenula polymorpha, *PER8* gene in, peroxisomal integral membrane protein, proliferation, 307
Heart, NCAM polypeptides in, association with Z discs, muscle-specific domain, 209
HEp2 cells, nonvectorial, retrograde transferrin trafficking in, early endosomes, 549
Heparin
acetylcholine receptor-aggregating activity of agrin isoforms, mapping of active site, 625
Heparin sulphate
CD44 isoforms responsible for presentation of heparin-forming growth factor, exon V3, 687
proteoglycan forms of lymphocyte homing receptor CD44, alternatively spliced variants containing v3 exon, 673
Heparin-binding growth factor
CD44 isoforms responsible for, exon V3, 687
EGF-like, juxtacrine growth factor activity of, membrane protein CD9/DRAP 27, 929
Hepatocyte growth factor/scatter factor, role in early development of metanephros, met receptor, 171
Hepatocytes, expression of epidermal keratin protein in liver of transgenic mice, structural and functional abnormalities, 157
High-affinity growth factor receptor, in extracellular matrix of vascular endothelial cells, modulation of FGF-2, 1221
Homotypic binding, mapping of in CD31, role of CD31 adhesion in formation of interendothelial cell contacts, 1229
Human
endothelial cells of, lymphocyte adhesion-dependent calcium signaling, 969
Mcl-1 intracellular distribution and pattern of expression overlaps with those of Bcl-2, 1173
morphology of epithelial cells in, functional domains of beta$_G$-spectrin, 1069
nuclear localization, testis, gene product SRY, 737
rolling of neutrophils of, P-selectin glycoprotein ligand-1, 661
SEC13Rp functions in yeast, transport vesicles, endoplasmic reticulum, 769
3-Hydroxy-3-methylglutaryl coenzyme A reductase, oocyte activation and passage is blocked by inhibitors of, metaphase/anaphase transition, clams, 1145
Insulin
SNAP-25 is involved in release of, Islets of Langerhans, 1019
survival in mammary epithelial cells, p53, apoptosis, EGF, 1185
β1 Integrin, in keratinocyte terminal differentiation, regulation of cell surface levels, 1209
β1 Integrin gene, lack of affects morphology, adhesion, and migration, embryonic stem cells, integration into blastocysts, 979
Integrin VLA-4, supports tethering and rolling in flow on VCAM-1, 1243
Integrins, expression pattern modifies migratory behavior of sarcoma S180 cells, fibronectin-specific, in vitro and in embryonic environment, 699
Interchain binding, *Drosophila* development requires spectrin network formation, 71
Intestinal epithelial cells, beta$_G$-spectrin disrupts morphology of, functional domains, 1069
Islets of Langerhans, SNAP-25 is expressed in, insulin release, 1019
Juxtacrine growth factor, activity of the membrane-anchored heparin-binding EGF-like growth factor, membrane protein CD9/DRAP 27, 929
Karlp, is a component of half-bridge of yeast spindle pole body, Cdc31p-binding protein, 863
Keratin, cause structural and functional abnormalities, expression in liver of transgenic mice, 157
Keratinocytes, terminal differentiation of, regulation of cell surface β1 integrin levels, 1209
Kinase
cyclin B interaction with microtubule-associated protein 4 targets $P34^{CDC2}$ kinase, M-phase microtubule dynamics, 849
necessary for activation of adenylyl cyclase, *Dictyostelium*, 405
oocyte activation and passage through metaphase/anaphase transition, clams, inhibitors of HMG-CoA reductase, 1145
projectin contains functional domains of, synchronous and asynchronous muscle isoforms, Drosophila bent locus product, 393
Kinesin
anatomy of flagellar microtubules, polarity, seam, junctions, and lattice, 81
as motor for Golgi-to-ER membrane traffic, microtubule-mediated, 293
Kinesin-like protein
chromokinesin, DNA-binding nuclear protein, 761
inhibition of microtubule depolymerization-dependent motion by antibodies to, CENP-E, chromosomes, 107
Kinesin-related protein
associates with centromeres during mitosis, identification of mitotic centromere-associated kinesin, 95
required for anaphase chromosome segregation, *Saccharomyces cerevisiae*, dynein-related proteins, 617
Kinetochore, *CEP3* encodes a centromere protein in *Saccharomyces cerevisiae*, 749
LAR gene, tyrosine phosphatase receptor, alternative splicing is preferential to nervous system, coordinated cell growth, generates isoforms containing CAG repeats, 415
Leishmania enriettii, targeting of glucose transporters in, mediated by NH_2-terminal domain, 499
Leukocytes
CD44 isoforms responsible for presentation of heparin forming growth factor, exon V3, 687
P-selectin glycoprotein ligand-1, mediates rolling of human neutrophils on P-selectin, 661

Limulus, acrosomal process of sperm of, sequence and domain organization of scruin, actin–cross-linking protein, 51
Lipid asymmetry, Chinese hamster ovary cell mutant, non-endocytic uptake of fluorescent analogs of phosphatidylserine, cytosol acidification protocol, 793
Liver
-enriched transcription factor DBP, cell size regulation, cellular RNA accumulation, transcription factors Oct1 and NF-Y, 467
expression of epidermal keratin protein in liver of transgenic mice, structural and functional abnormalities, 157
Lumenal calcium, depletion from endoplasmic reticulum, inhibition of passive diffusion and transport into nucleus, 5
Lymphocytes
adhesion-dependent calcium signaling, human endothelial cells, 969
homing receptor CD44 in, proteoglycan forms, alternatively spliced variants containing v3 exon, 673
integrin VLA-4 supports tethering and rolling in flow on VCAM-1, 1243
Lysosomal glycoprotein 120, targeting in rat MDCK cells, cytoplasmic determinants, lysosomal sorting, endocytosis, 321
Mad gene, expression of during cell differentiation in vivo, inhibition of cell growth in vitro, 1197
Mammal, α1- and β1-syntrophin, alternative splice-prone region, dystrophin COOH terminus, 373
Mammary epithelial cells, p53 activation of apoptosis in, survival function of EGF and insulin, 1185
Mannoproteins, cross-linking of α-agglutinin and β1,6-glucan, glycosyl phosphatidylinositol, *Saccharomyces cerevisiae* cell wall, 333
MAP4, interaction with cyclin B targets $P34^{CDC2}$ kinase, M-phase microtubule dynamics, 849
Mcl-1, intracellular distribution and pattern of expression overlaps with those of Bcl-2, 1173
MDCK cells
proteolytic products in, polarized sorting of β-amyloid precursor protein, independent signals, 537
targeting of rat lgp120 (lamp-I) in, cytoplasmic determinants, lysosomal sorting, endocytosis, 321
Meiotic cell cycle, oocyte activation and passage through metaphase/anaphase transition of, clams, inhibitors of HMG-CoA reductase, 1145
Membrane protein, CD9/DRAP 27 potentiates juxtacrine growth factor activity, heparin-binding EGF-like growth factor, 929
Membrane protein ectodomains, transforming growth factor-α, β-amyloid precursor protein, secretory mechanism, 433
Membrane spreading, ezrin NH_2-terminal domain inhibits cell extension, COOH-terminal domain, 1081
Membrane traffic, overexpression of wild-type and mutant ARF1 and ARF6, nonoverlapping membrane compartments, 1003
Membrane transport, from Golgi-to-ER, kinesin, microtubule-mediated, 293
Met genes, role in early development of metanephros, hepatocyte growth factor/scatter factor, 171
Metanephros, roles of hepatocyte growth factor/scatter factor and met receptor in early development of, 171
Microtubule depolymerization
activates NF-κB, cytoskeletal control of gene expression, 1111
-dependent motion inhibited by antibodies to kinesin motor domain and CENP-E, chromosomes, 107
motor proteins as couplers to, 1
Microtubule lattice structure
anatomy of flagellar, polarity, seam, and junctions, 81
structural changes accompanying GTP hydrolysis in, hydrolyzable analogue, guanylyl-(α,β)-methylene-disphosphonate, 117
Microtubule rearrangements
role in growth cone motility and axonal growth, 139
role in growth cone turning, substrate boundaries, 127
Microtubules
as mediators for Golgi-to-ER membrane traffic, kinesin, 293
microtubule-associated protein 4 targets $P34^{CDC2}$ kinase to, cyclin B interaction, M-phase microtubule dynamics, 849
polarity of in trypanosome cell cycle, organelle positioning, segregation, and cytokinesis, 1163
protein phosphatase 2A is associated with, regulated during cell cycle, 1131
Migration, affected by lack of β1 integrin gene, embryonic stem cells, morphology, adhesion, integration into blastocysts, 979
Mitotic centromere-associated kinesin, identification and partial characterization of, kinesin-related protein associates with centromeres during mitosis, 95
Motility
of growth cones, role of microtubule dynamics, axonal growth, 139
role of microtubules in growth cone turning, substrate boundaries, 127
Motor proteins
as couplers, depolymerizing microtubules, 1
kinesin- and dynein-related proteins, anaphase chromosome segregation, *Saccharomyces cerevisiae*, 617
Mouse
brain-derived neurotrophic factor promoter regions in, tissue-specific, axotomy-, and neuronal activity–induced expression, 185
desmoglein 3 confers adhesive function on extracellular domain of E-cadherin, pemphigus vulgaris antigen, catenins, 939
epidermal keratin protein in liver of, structural and functional abnormalities, 157
expression of *mad* gene during cell differentiation in vivo, inhibition of cell growth in vitro, 1197
human COL2A1-directed SV40 T antigen expression in, abnormal skeletal development, 223
mechanical function of dystrophin, muscle cells, 355
membrane protein CD9/DRAP 27 potentiates juxtacrine growth factor activity, heparin-binding EGF-like growth factor, 929
myogenesis in, myogenin required, 563
roles of hepatocyte growth factor/scatter factor and met receptor, early development of metanephros, 171
type X collagen gene expression in chondrocytes of, immortalization by temperature-sensitive simian virus 40 large tumor antigen, 239
Mt-PK gene, trinucleotide repeat transcripts in nuclei of myotonic dystrophy cells, 995
Murine tissues, ryanodine receptor/calcium channel genes are expressed in, brain and peripheral tissues, 893
Muscle
dystrophin in, mechanical function, 355
myogenin is required for late but not early myogenesis, mouse development, 563
synchronous and asynchronous isoforms of, projectin contains functional kinase domains, Drosophila bent locus product, 393
trinucleotide repeat transcripts in nuclei of myotonic dystrophy cells, 995
Muscle-specific domain, contained in forms of NCAM polypeptides, heart development, association with Z discs, 209
Myeloblastic leukemia cell line, Mcl-1 intracellular distribution and pattern of expression overlaps with those of Bcl-2, 1173
myoA gene, is an essential myosin I required for secretion and polarized growth, *Aspergillus nidulans*, 577
Myoblasts, calsequestrin in, differential localization and role, 341
Myofibrillogenesis
inhibition of CapZ during, alteration of assembly of actin filaments, 61
NCAM polypeptides in, association with Z discs, muscle-specific domain, 209
Myogenin, required for late myogenesis, mouse development, 563
Myosin, class V Myo2 in yeast, vesicular transport, 1055
Myosin I, required for secretion and polarized growth, *myoA* of *Aspergillus nidulans*, 577
Myotonic dystrophy, trinucleotide repeat transcripts in nuclei of, 995
Nephrogenesis, roles of hepatocyte growth factor/scatter factor and met receptor in, early development of metanephros, 171
Nerve growth factor, induction of cell death by deprivation of, viral proteins protect sympathetic neurons, E1B19K, p35, 201
Neural cell adhesion molecule, in heart development, association with Z discs, muscle-specific domain, 209
Neurites, amyloid precursor protein inhibits outgrowth of, downregulation, 919
Neuronal development, LAR tyrosine phosphatase receptor, alternative splicing is preferential to nervous system, coordinated cell growth, generates isoforms containing CAG repeats, 415
Neuronal differentiation, brain-derived neurotrophic factor promoter regions, tissue-specific, axotomy-, and neuronal activity–induced expression, transgenic mice, 185
Neurons
axonal growth of in rat, axonal synthesis of phosphatidylcholine, sympathetic, 913
inhibition of neurite outgrowth in vitro, downregulation of amyloid precursor protein, 919
Neutrophils, rolling of on P-selectin, glycoprotein ligand-1, 661 P-selectin glycoprotein ligand-1, mediates rolling of human neutrophils on P-selectin, 661
NF-κB, activated by microtubule depolymerization, cytoskeletal control of gene expression, 1111
Nicotinic acetylocholine receptors, interaction with cytoskeleton, agrin-activated protein tyrosine kinase, 1121
Nuclear localization, in testis, gene product SRY, 737

Nuclear pore complexes
depletion of calcium from lumen of endoplasmic reticulum, inhibition of passive diffusion and transport into nucleus, 5
nucleoporin p62 complex of rat, binding of nucleoporin p54 to the rod domain of p62, 251
Nuclear pore protein, reconstituted nuclei depleted of a vertebrate GLFG, p97, defective in nuclear growth and replication, 721
Nuclear positioning, coiled-coil protein required for, *Aspergillus nidulans* anucleate primary sterigmata, asexual development, 485
Nuclear spreads, visualization of bipartite rRNA domains, 15
Nuclear transport
inhibition of signal-mediated, depletion of calcium from lumen of endoplasmic reticulum, inhibition of passive diffusion, 5
reconstituted nuclei depleted of a vertebrate GLFG nuclear pore protein, p97, defective in nuclear growth and replication, 721
Nucleoporins, macromolecular interactions in the p62 complex, rat, binding of nucleoporin p54 to the rod domain of p62, 251
Okadaic acid, protein phosphatase 1 regulates formation of endoplasmic reticulum in vitro, cytoplasmic dynein-driven, 879
Oleic acid, -induced *Saccharomyces cerevisiae*, giant peroxisomes, lack of peroxisomal membrane protein Pmp27p, 509
Oligomerization, of Semliki Forest virus membrane protein subunits, 283
Oligosaccharyltransferase, α subunit in *Saccharomyces cerevisiae*, vegetative growth, homologous to mammalian ribophorin I, 525
Oocytes, activation and passage through metaphase/anaphase transition, clams, inhibitors of HMG-CoA reductase, 1145
Oogenesis, *Drosophila* development requires spectrin network formation, 71
Organelle positioning, controlled by microtubule polarity and dynamics, segregation, cytokinesis, trypanosome cell cycle, 1163
OST1 gene, α subunit of oligosaccharyltransferase complex, *Saccharomyces cerevisiae*, vegetative growth, homologous to mammalian ribophorin I, 525
Ovary, cell mutant in Chinese hamster, non-endocytic uptake of fluorescent analogs of phosphatidylserine, cytosol acidification protocol, 793
p35 protein, protects sympathetic neurons from cell death, E1B19K, NGF deprivation, 201
p53 protein, activates apoptosis in mammary epithelial cells, survival function of EGF and insulin, 1185
p62 protein
in nucleoporin complex of rat nuclear pores, binding of nucleoporin p54 to the rod domain of p62, 251
oligomerization reaction of Semliki Forest virus membrane protein subunits, 283
p97 protein, a vertebrate GLFG nuclear pore protein, reconstituted nuclei, defective in nuclear growth and replication, 721
p120, association with E-cadherin/catenin complexes, tyrosine kinase substrate, 949
Pancreas, actin filament disassembly is final trigger for exocytosis, nonexcitable cells, 589
Pemphigus vulgaris antigen, confers adhesive function on extracellular domain of E-cadherin, desmoglein 3, catenins, 939
PER8 gene, encodes a peroxisomal integral membrane protein, *Hansenula polymorpha*, proliferation, 307
Peroxisome biogenesis, *Hansenula polymorpha PER8* gene involved in proliferation, peroxisomal integral membrane protein, 307
Peroxisomes, giant ones in oleic acid-induced *Saccharomyces cerevisiae*, lack of peroxisomal membrane protein Pmp27p, 509
Phosphatidylcholine, axonal synthesis of is required for normal axonal growth, rat sympathetic neurons, 913
Phosphatidylserine, non-endocytic uptake of fluorescent analogs of, Chinese hamster ovary cell mutant, cytosol acidification protocol, 793
Phosphorylation
dual pathways of internalization of cholecystokinin receptor, 1029
interaction of nicotinic acetylocholine receptors with cytoskeleton, agrin-activated protein tyrosine kinase, 1121
protein phosphatase 2A is associated with microtubules, regulated during cell cycle, 1131
PICKs, a perinuclear binding protein and substrate for protein kinase C, isolation by yeast two-hybrid system, 263
Plasma membrane, overexpression of wild-type and mutant ARF1 and ARF6, nonoverlapping membrane compartments, 1003
pma1 mutants, targeting of yeast plasma membrane [H+]ATPase, gene *AST1* prevents mislocalization of mutant ATPase, vacuole 39
Pmp27p protein, lacking in oleic acid-induced *Saccharomyces cerevisiae*, giant peroxisomes, 509
Polarity, anatomy of flagellar microtubules, seam, junctions, and lattice, 81
Polarized cell growth, during cortical actin cytoskeleton assembly, budding yeast, 599
Polarized growth, requires an essential myosin I, *myoA* of *Aspergillus nidulans*, secretion, 577
Polarized trafficking, is regulated by two independent signals, β-amyloid precursor protein, proteolytic products in MDCK cells, 537
Polycomplex assembly, Zipl-induced changes in, synaptonemal complex structure, 455
Primate, mapping of homotypic binding sites in CD31, role of CD31 adhesion in formation of interendothelial cell contacts, 1229
Programmed cell death
p53 activation of apoptosis in mammary epithelial cells, survival function of EGF and insulin, 1185
viral proteins protect sympathetic neurons from, E1B19K, p35, NGF deprivation, 201
Projectin, contains functional kinase domains, synchronous and asynchronous muscle isoforms, Drosophila bent locus product, 393
Proliferation, a peroxisomal integral membrane protein involved in, *Hansenula polymorpha PER8* gene, 307
Protein 4.1, slow dissociation of spectrin-protein 4.1-actin complex, post-translational modification of β-actin, sickled cells, 805
Protein folding, of thyroglobulin in endoplasmic reticulum, calnexin and BiP act as sequential molecular chaperones, 29
Protein kinase C, a perinuclear binding protein and substrate for, PICK1, isolation by yeast two-hybrid system, 263
Protein phosphatase 1, regulates formation of endoplasmic reticulum in vitro, cytoplasmic dynein-driven, 879
Protein phosphatase 2A, is associated with microtubules, regulated during cell cycle, 1131
Protein tyrosine kinase, regulation by agrin-activated, interaction of nicotinic acetylocholine receptors with cytoskeleton, 1121
Proteoglycans, of lymphocyte homing receptor CD44, alternatively spliced variants containing v3 exon, 673
P-selectin, rolling of human neutrophils on, glycoprotein ligand-1, 661
Pseudopods, in *Dictyostelium*, genetic deletion of ABP-120, actin filaments, 819
Rat
axonal growth in sympathetic neurons in, axonal synthesis of phosphatidylcholine, 913
cell size regulation controls cellular RNA accumulation, transcription factors Octl and NF-Y, liver-enriched transcription factor DBP, 467
differential localization and role of calsequestrin, differentiated myoblasts, 341
LAR tyrosine phosphatase receptor, alternative splicing is preferential to nervous system, coordinated cell growth, generates isoforms containing CAG repeats, 415
nucleoporin p62 complex in, binding of nucleoporin p54 to the rod domain of p62, 251
targeting of lgp120 (lamp-I) in, cytoplasmic determinants, lysosomal sorting, endocytosis, MDCK cells, 321
Ribophorin I, α subunit of oligosaccharyltransferase complex is homologous to, *Saccharomyces cerevisiae*, vegetative growth, 525
RNA, cell size regulation controls cellular accumulation of, transcription factors Octl and NF-Y, liver-enriched transcription factor DBP, 467
rRNA, visualization of bipartite domains, nuclear spreads, 15
Ryanodine receptors, expressed in murine brain and peripheral tissues, calcium channel genes, 893
Saccharomyces cerevisiae
CEP3 encodes a centromere protein in, 749
cross-linking of α-agglutinin and β1,6-glucan in cell wall of, glycosyl phosphatidylinositol-dependent, 333
giant peroxisomes in, oleic acid-induced, lack of peroxisomal membrane protein Pmp27p, 509
human SEC13Rp functions in, transport vesicles, endoplasmic reticulum, 769
kinesin- and dynein-related proteins in, anaphase chromosome segregation, 617
α subunit of oligosaccharyltransferase complex in, vegetative growth, homologous to mammalian ribophorin I, 525
targeting of [H+]ATPase of plasma membrane of, gene *AST1* prevents mislocalization of mutant ATPase, vacuole, 39
tropomyosin is essential in, *TPM1* and *TPM2* products, 383

Sarcoma S180 cells, migratory behavior of, fibronectin-specific integrin expression pattern, in vitro and in embryonic environment, 699
Sarcomeres, inhibition of CapZ during myofibrillogenesis, alteration of assembly of actin filaments, 61
Schizosaccharomyces pombe, centromeric chromatin structure in, novel *cis*-acting centromeric DNA element, 445
Sciatic nerve, brain-derived neurotrophic factor promoter regions, tissue-specific, axotomy-, and neuronal activity-induced expression, transgenic mice, 185
Scruin, sequence and domain organization of, actin–cross-linking protein, acrosomal process of *Limulus* sperm, 51
Secretion, requires an essential myosin I, *myoA* of *Aspergillus nidulans*, polarized growth, 577
Secretory mutants, Myo2 in vesicular transport, yeast class V myosin, 1055
SEC13Rp protein, functions in yeast, transport vesicles, endoplasmic reticulum, 769
Semliki Forest virus, oligomerization reaction of, membrane protein subunits, 283
Sickle cells, slow dissociation of spectrin-protein 4.1-actin complex of, posttranslational modification of β-actin, 805
Signal recognition particle, receptor of β subunit, anchoring of α subunit to endoplasmic reticulum, transmembrane and peripheral membrane GTPases, 273
Signal transduction, PICK1, a perinuclear binding protein and substrate for protein kinase C, isolation by yeast two-hybrid system, 263
Signaling
  of calcium in human endothelial cells, lymphocyte adhesion, 969
  evidence for intracellular, embryonic axis induction, Armadillo repeat domain of β-catenin, 959
Simian virus 40
  large tumor antigen, causes immortalization in mouse chondrocytes, type X collagen gene expression, mouse, temperature-sensitive, 239
  T antigen, expression causes abnormal skeletal development, human COL2A1-directed expression, transgenic and chimeric mice, 223
Skeletal development, abnormality caused by human COL2A1-directed SV40 T antigen expression, transgenic and chimeric mice, 223
SNAP-25
  expressed in Islets of Langerhans, insulin release, 1019
  present in organelles, t-SNAREs, syntaxin 1, synaptic vesicle recycling, 637
Sorting
  cytoplasmic determinants in lysosomal, endocytosis, targeting of rat lgp120 (lamp-I) in MDCK cells, 321
  evidence for nonvectorial, retrograde transferrin, early endosomes of HEp2 cells, 549
  is regulated by two independent signals, β-amyloid precursor protein, proteolytic products in MDCK cells, 537
Spectrin
  disrupts epithelial cell morphology, functional domains of β_G-spectrin, 1069
  Drosophila development requires, network formation, 71
  slow dissociation of spectrin-protein 4.1-actin complex, posttranslational modification of β-actin, sickled cells, 805
Sperm, acrosomal process in *Limulus*, sequence and domain organization of scruin, actin–cross-linking protein, 51
Spindle pole body, half-bridge of in yeast, Cdc31p-binding protein Karlp, 863
Spisula solidissima, oocyte activation and passage is blocked in, metaphase/anaphase transition, inhibitors of HMG-CoA reductase, 1145
Splicing
  is preferential to nervous system, coordinated cell growth, generates isoforms containing CAG repeats, LAR tyrosine phosphatase receptor, 415
  variants containing v3 exon, proteoglycan forms of lymphocyte homing receptor CD44, 673
SRY gene, of testis, nuclear localization, 737
Staining, for visualizing vacuolar membrane dynamics and endocytosis in yeast, new vital stain, 779
Substrate boundaries, growth cone turning at, role of microtubules, 127
Sympathetic neurons, protection by viral proteins E1B19K and p35, cell death induced by NGF deprivation, 201
Synapsin I, anchors synaptic vesicles to actin cytoskeleton, dephosphorylated, videomicroscopy, 905
Synaptic vesicles
  anchored by dephosphorylated synapsin I, actin cytoskeleton, videomicroscopy, 905
  recycling in, t-SNAREs syntaxin 1 and SNAP-25, organelles, 637
Synaptonemal complex, Zip1-induced changes in, polycomplex assembly, 455
Syntaxin 1, present in organelles, t-SNAREs, SNAP-25, synaptic vesicle recycling, 637
Syntrophin
  binds to dystrophin, alternatively spliced exon, 363
  binds to dystrophin COOH terminus, mammalian α1- and β1-syntrophin, alternative splice-prone region, 373
Targeting
  of two glucose transporters from *Leishmania enriettii*, mediated by NH_2-terminal domain, 499
  of yeast [H^+]ATPase, gene *AST1* prevents mislocalization of mutant ATPase, vacuole, 39
Temperature sensitivity
  Drosophila development requires spectrin network formation, 71
  of a simian virus 40 large tumor antigen, type X collagen gene expression in mouse chondrocytes, 239
Tensin, in chicken cardiac, molecular cloning, expression, and mapping, high affinity actin-capping domain, 1095
Terminal differentiation, of keratinocytes, regulation of cell surface β1 integrin levels, 1209
Terminal domains, NH_2 and COOH of ezrin, inhibition of cell extension, 1081
Testes, nuclear localization of, gene product SRY, 737
Tethering and rolling, integrin VLA-4 supports, VCAM-1, 1243
β-thymosins, actin filament disassembly is final trigger for exocytosis, nonexcitable cells, 589
Thyroglobulins, folding of, calnexin and BiP act as sequential molecular chaperones, endoplasmic reticulum, 29
TPM2 gene, products perform distinct functions, tropomyosin is essential in yeast, 383
Transcription factors, regulation of Oct1 and NF-Y, liver-enriched transcription factor DBP, cell size regulation controls cellular RNA accumulation, 467
Transferrin, evidence for nonvectorial and retrograde, early endosomes of HEp2 cells, 549
Transforming growth factor-α, and β-amyloid precursor protein share a secretory mechanism, 433
Translocation, β subunit of signal recognition particle receptor anchors α subunit to endoplasmic reticulum membrane transmembrane and peripheral membrane GTPases, 273
Transport, nucleoporin p62 complex of rat nuclear pores, binding of nucleoporin p54 to the rod domain of p62, 251
Trinucleotide repeat transcripts, in nuclei of myotonic dystrophy cells, 995
Tropomyosin, is essential in yeast, *TPM1* and *TPM2* products, 383
Trypanosoma brucei, organelle positioning, segregation, and cytokinesis in, microtubule polarity, 1163
t-SNAREs, syntaxin 1 and SNAP-25 in organelles, synaptic vesicle recycling, 637
Tubulin, anatomy of flagellar microtubules, polarity, seam, junctions, and lattice, 81
Type X collagen, gene expression in mouse chondrocytes, immortalization by temperature-sensitive simian virus 40 large tumor antigen, 239
Tyrosine kinase, substrate of p120, E-cadherin/catenin complexes, 949
Tyrosine phosphatases, alternative splicing is preferential to nervous system, coordinated cell growth, generates isoforms containing CAG repeats, 415
Utrophin, syntrophin binds to dystrophin, alternatively spliced exon, 363
Vacuole, visualizing membrane dynamics of, new vital stain, endocytosis in yeast, 779
Vascular endothelial cells, high affinity immunoreactive FGF receptors in extracellular matrix of, modulation of FGF-2, 1221
Vasopressin, differential localization and role of calsequestrin, differentiated myoblasts, 341
VCAM-1, integrin VLA-4 supports tethering and rolling in flow on, 1243
Vesicles
  annexin XIIIb implicated in traffic of, apical plasma membrane, 1043
  human SEC13Rp is located on, yeast, endoplasmic reticulum, 769
  Myo2 transport in, yeast class V myosin, 1055
Vinblastine, role of microtubule dynamics in growth cone motility and axonal growth, 139
Viral proteins, protect sympathetic neurons from cell death, E1B19K, p35, NGF deprivation, 201
Xenopus, embryonic axis induction in, Armadillo repeat domain of β-catenin, intracellular signaling, 959
Xenopus
  protein phosphatase 1 regulates formation of endoplasmic reticulum in vitro, cytoplasmic dynein-driven, 879
  reconstituted nuclei depleted of a vertebrate GLFG nuclear pore protein, p97, defective in nuclear growth and replication, 721

Yeast
class V myosin in, Myo2, vesicular transport, 1055
half-bridge of spindle pole body in, Cdc31p-binding protein Karlp, 863
isolation by two-hybrid system in, PICK1, a perinuclear binding protein and substrate for protein kinase C, 263
polarized cell growth in, cortical actin cytoskeleton assembly, 599
visualizing vacuolar membrane dynamics and endocytosis in, new vital stain, 779
Zipl-induced changes, synaptonemal complex structure and polycomplex assembly, 455
Z discs, association with NCAM polypeptides, heart development, muscle-specific domain, 209
Z-disks, inhibition of CapZ during myofibrillogenesis, alteration of assembly of actin filaments, 61
Zipl protein, induces changes in synaptonemal complex structure and polycomplex assembly, 455
Zoids, microtubule polarity in organelle positioning, segregation, and cytokinesis, trypanosome cell cycle, 1163